

Month	Year
4	2022

Day of Month	Non Business Day	Time of reading 24-hr clock	Refrigerator 1 Logger ③			Refrigerator 2 Logger ⑤			Refrigerator 4 Logger ⑨			Refrigerator 5 Logger ⑫			Room Logger ①			MONITORING (✓)	INITIALS
			Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)		
1		16:25	/			/			/			6.2	✓	/			✓	N,I	
2	✓	___:___																N,I	
3	✓	___:___																N,I	
4		15:50	/			/			/			5.6	✓	/			✓	N,I	
5		18:05	/			/			/			5.7	✓	/			✓	N,I	
6		14:10	/			/			/			5.5	✓	/			✓	N,I	
7		16:40	/			/			/			5.1	✓	/			✓	N,I	
8		13:00	/			/			/			6.2	✓	/			✓	N,I	
9	✓	___:___																N,I	
10	✓	___:___																N,I	
11		13:00	/			/			/			5.1	✓	/			✓	N,I	
12		14:50	/			/			/			5.7	✓	/			✓	N,I	
13		13:00	/			/			/			5.9	✓	/			✓	N,I	
14		14:50	/			/			/			5.5	✓	/			✓	N,I	
15		13:25	/			/			/			4.9	✓	/			✓	N,I	
16	✓	___:___																N,I	
17	✓	___:___																N,I	
18		13:20	/			/			/			4.9	✓	/			✓	N,I	
19		16:10	/			/			/			4.9	✓	/			✓	N,I	
20		13:00	4.3		✓	5.4	✓	5.0	✓	4.9	✓	21.9	✓	✓	✓	✓	✓	N,I	
21		16:30	4.2		✓	5.0	✓	5.2	✓	5.1	✓	21.6	✓	✓	✓	✓	✓	N,I	
22		13:25	4.4		✓	4.4	✓	5.6	✓	5.5	✓	21.9	✓	✓	✓	✓	✓	N,I	
23	✓	___:___																N,I	
24	✓	___:___																N,I	
25		13:00	4.5		✓	5.6	✓	5.3	✓	5.3	✓	22.0	✓	✓	✓	✓	✓	N,I	
26		13:45	4.4		✓	4.7	✓	5.8	✓	5.8	✓	22.2	✓	✓	✓	✓	✓	N,I	
27		13:30	4.2		✓	6.0	✓	6.3	✓	6.2	✓	21.9	✓	✓	✓	✓	✓	N,I	
28		14:05	6.0		✓	5.6	✓	4.2	✓	5.5	✓	21.9	✓	✓	✓	✓	✓	N,I	
29	✓	___:___																N,I	
30	✓	___:___																N,I	
31		___:___																	

Refrigerator No.		1	2	4	5	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	
6	14:10	✓	✓	✓	✓	N,I