

Month	Year
2	2023

Day of Month	Non Business Day	Time of reading 24-hr clock	Refrigerator 1 Logger ③			Refrigerator 2 Logger ⑤			Refrigerator 4 Logger ⑨			Refrigerator 5 Logger ⑫			Room Logger ①			MONITORING (✓)	INITIALS
			Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)		
1		15:25							5.9	✓		5.4	✓				✓	K.S	
2		12:45							5.5	✓		5.3	✓				✓	K.S	
3		14:10							5.7	✓		6.0	✓				✓	K.S	
4	✓	___:___																	
5	✓	___:___																	
6		15:10							5.5	✓		5.2	✓				✓	K.S	
7		14:20							5.3	✓		5.3	✓				✓	K.S	
8		15:40							5.4	✓		5.6	✓				✓	K.S	
9		15:00							5.1	✓		5.9	✓				✓	K.S	
10		14:25							5.7	✓		5.5	✓				✓	K.S	
11	✓	___:___																	
12	✓	___:___																	
13		14:30							5.8	✓		4.6	✓				✓	K.S	
14		14:20							5.3	✓		5.5	✓				✓	K.S	
15		14:10							5.8	✓		5.6	✓				✓	K.S	
16		14:50							5.5	✓		5.1	✓				✓	K.S	
17		14:20							5.3	✓		5.6	✓				✓	K.S	
18	✓	___:___																	
19	✓	___:___																	
20		14:35							5.9	✓		5.9	✓				✓	K.S	
21		14:55							5.2	✓		5.4	✓				✓	K.S	
22		15:55							5.2	✓		4.3	✓				✓	K.S	
23	✓	___:___																	
24		15:00							5.8	✓		5.8	✓				✓	K.S	
25	✓	___:___																	
26	✓	___:___																	
27		15:00							5.8	✓		4.4	✓				✓	K.S	
28		15:10							5.5	✓		4.3	✓				✓	K.S	
29		___:___																	
30		___:___																	
31		___:___																	

Refrigerator No.		1	2	4	5	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	
20	14:35	✓	✓	✓	✓	K.S

2/1~
 口が-①)校正
 ③)
 ⑤)