

Month	Year
4	2023

Day of Month	Non Business Day	Time of reading 24-hr clock	Refrigerator 1 Logger ④			Refrigerator 2 Logger ⑥			Refrigerator 4 Logger ⑩			Refrigerator 5 Logger ⑧			Room Logger ②		MONITORING (✓)	INITIALS
			Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)		
1	✓																	
2	✓																	
3		15:10						5.2	✓	4.8	✓					✓	M.K	
4		14:45						5.3	✓	4.8	✓					✓	M.K	
5		15:35						5.2	✓	4.7	✓					✓	M.K	
6		14:05						5.3	✓	4.7	✓					✓	M.K	
7		19:00						5.3	✓	4.6	✓					✓	M.K	
8	✓																	
9	✓																	
10		15:25	4.9	✓	5.0	✓	5.4	✓	4.6	✓	21.9	✓	✓			✓	M.K	
11		11:00	4.8	✓	5.2	✓	5.3	✓	4.7	✓	22.0	✓	✓			✓	M.K	
12		14:50	4.9	✓	4.7	✓	5.0	✓	4.9	✓	22.5	✓	✓			✓	M.K	
13		14:10	4.8	✓	4.8	✓	5.1	✓	4.9	✓	21.8	✓	✓			✓	M.K	
14		18:20	4.7	✓	4.5	✓	5.2	✓	5.0	✓	22.3	✓	✓			✓	M.K	
15	✓																	
16	✓																	
17		14:35	4.9	✓	4.7	✓	5.2	✓	5.2	✓	22.0	✓	✓			✓	M.K	
18		15:00	4.8	✓	5.0	✓	5.1	✓	4.7	✓	22.5	✓	✓			✓	M.K	
19		14:25	4.8	✓	4.9	✓	5.1	✓	4.8	✓	22.7	✓	✓			✓	M.K	
20		15:20	4.7	✓	4.7	✓	5.0	✓	4.8	✓	22.6	✓	✓			✓	K.S	
21		14:10	4.8	✓	4.8	✓	5.0	✓	5.0	✓	22.4	✓	✓			✓	K.S	
22	✓																	
23	✓																	
24		14:55	4.6	✓	5.0	✓	5.0	✓	5.0	✓	22.1	✓	✓			✓	K.S	
25		15:05	4.6	✓	4.9	✓	5.2	✓	4.8	✓	22.2	✓	✓			✓	K.S	
26		14:30	4.6	✓	5.0	✓	5.4	✓	5.0	✓	21.9	✓	✓			✓	K.S	
27		15:40	4.9	✓	4.7	✓	5.3	✓	5.0	✓	21.9	✓	✓			✓	K.S	
28		14:35	4.6	✓	4.9	✓	5.2	✓	4.8	✓	22.1	✓	✓			✓	K.S	
29	✓																	
30	✓																	
31																		

Refrigerator No.		1	2	4	5	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	
7	19:00	✓	✓	✓	✓	K.S

温度口ガ-

②④⑥ 4/10- 記録再南