

Month	Year
9	2023

Day of Month	Non Business Day	Time of reading 24-hr clock	Refrigerator 1 Logger ③			Refrigerator 2 Logger ⑤			Refrigerator 4 Logger ⑨			Refrigerator 5 Logger ⑫			Refrigerator 6 Logger ⑮			Room Logger ①			MONITORING (✓)	INITIALS
			Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)		
1		15:55	2.9		✓	5.1		✓	4.2		✓			5.0		✓	22.4		✓	✓	K.S	
2	✓	___:___																				
3	✓	___:___																				
4		14:50	4.1		✓	5.2		✓	3.7		✓			5.5		✓	22.4		✓	✓	K.S	
5		15:30	4.4		✓	3.8		✓	4.3		✓			4.5		✓	22.7		✓	✓	K.S	
6		15:20	5.2		✓	5.1		✓	5.3		✓			5.6		✓	22.4		✓	✓	K.S	
7		15:05	4.3		✓	4.3		✓	4.9		✓			4.9		✓	22.5		✓	✓	K.S	
8		15:05	3.0		✓	3.9		✓	4.6		✓			4.5		✓	22.5		✓	✓	K.S	
9	✓	___:___																				
10	✓	___:___																				
11		15:05	5.3		✓	3.2		✓	5.4		✓			3.7		✓	22.4		✓	✓	K.S	
12		15:30	5.0		✓	3.4		✓	5.6		✓			3.9		✓	22.5		✓	✓	K.S	
13		11:55	4.0		✓	3.5		✓	4.6		✓			4.1		✓	22.4		✓	✓	K.S	
14		15:50	3.5		✓	2.6		✓	4.5		✓			3.4		✓	22.3		✓	✓	K.S	
15		15:40	3.8		✓	3.4		✓	3.4		✓	5.0	✓	3.9		✓	22.7		✓	✓	K.S	
16	✓	___:___																				
17	✓	___:___																				
18	✓	___:___																				
19		15:05	4.1		✓	3.5		✓	4.5		✓	5.1	✓	4.1		✓	22.3		✓	✓	K.S	
20		15:35	4.6		✓	4.4		✓	5.5		✓	5.2	✓	4.7		✓	22.5		✓	✓	K.S	
21		15:50	4.2		✓	4.4		✓	3.9		✓	5.3	✓	4.7		✓	22.3		✓	✓	K.S	
22		14:40	5.3		✓	3.0		✓	5.2		✓	4.6	✓	3.7		✓	22.4		✓	✓	K.S	
23	✓	___:___																				
24	✓	___:___																				
25		15:20	5.7		✓	2.7		✓	4.8		✓	5.0	✓	3.5		✓	22.5		✓	✓	K.S	
26		15:30	4.1		✓	2.8		✓	4.8		✓	4.8	✓	3.5		✓	22.3		✓	✓	K.S	
27		15:55	4.8		✓	4.4		✓	5.4		✓	4.9	✓	4.7		✓	22.4		✓	✓	K.S	
28		15:55	4.2		✓	4.0		✓	4.7		✓	4.1	✓	4.5		✓	22.2		✓	✓	K.S	
29		15:30	5.7		✓	4.2		✓	4.5		✓	4.3	✓	4.7		✓	22.3		✓	✓	K.S	
30	✓	___:___																				
31		___:___																				

Refrigerator No.		1	2	4	5	6	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	INITIALS
15	14:30	✓	✓	✓	✓	✓	K.S

9/14 14:25
 ログ-⑫ 修理のため、冷蔵庫から出した。

9/15 8:00
 ログ-⑫ 修理から戻ってきて、記録開始