

Month	Year
12	2023

Day of Month	Non Business Day	Time of reading 24-hr clock	Refrigerator 1 Logger ④			Refrigerator 2 Logger ⑥			Refrigerator 4 Logger ⑩			Refrigerator 5 Logger ⑧			Refrigerator 6 Logger ⑮			Room Logger ②			MONITORING (✓)	INITIALS
			Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)		
1		15:15	4.9		✓	4.9	✓		6.0		✓	4.7		✓	5.6		✓				✓	K.S
2	✓	___:___																				
3	✓	___:___																				
4		15:50	4.8		✓	4.9	✓		5.9		✓	4.5		✓	4.9		✓				✓	K.S
5		15:30	4.9		✓	5.0	✓		6.0		✓	4.3		✓	5.7		✓				✓	K.S
6		15:30	4.9		✓	4.9	✓		5.9		✓	4.2		✓	5.0		✓				✓	K.S
7		15:10	4.8		✓	5.0	✓		5.9		✓	4.1		✓	5.0		✓				✓	K.S
8		15:30	4.7		✓	4.8	✓		5.9		✓	4.4		✓	5.8		✓				✓	K.S
9	✓	___:___																				
10	✓	___:___																				
11		15:30	4.8		✓	4.8	✓		5.8		✓	4.4		✓	5.8		✓				✓	K.S
12		15:35	4.9		✓	4.6	✓		5.9		✓	4.0		✓			22.4		✓	✓	✓	K.S
13		15:45	4.7		✓	4.6	✓		5.8		✓	4.0		✓			22.3		✓	✓	✓	K.S
14		15:40	4.7		✓	4.4	✓		5.7		✓	4.5		✓			22.1		✓	✓	✓	K.S
15		11:40	4.7		✓	4.4	✓		5.9		✓	4.1		✓			22.2		✓	✓	✓	K.S
16	✓	___:___																				
17	✓	___:___																				
18		15:40	4.7		✓	4.5	✓		5.8		✓	4.3		✓			21.7		✓	✓	✓	K.S
19		15:00	4.8		✓	4.3	✓		5.7		✓	4.1		✓			21.9		✓	✓	✓	K.S
20		15:15	4.8		✓	4.5	✓		5.9		✓	4.4		✓			22.1		✓	✓	✓	K.S
21		14:00	4.6		✓	4.5	✓		5.8		✓	4.4		✓			21.7		✓	✓	✓	K.S
22		15:20	4.7		✓	4.4	✓		6.0		✓	4.4		✓			21.4		✓	✓	✓	K.S
23	✓	___:___																				
24	✓	___:___																				
25		15:50	4.8		✓	4.5	✓		5.5		✓	4.0		✓			21.5		✓	✓	✓	K.S
26		15:25	4.7		✓	4.9	✓		5.5		✓	4.3		✓			21.8		✓	✓	✓	K.S
27		15:20	4.8		✓	4.8	✓		5.5		✓	4.2		✓			22.0		✓	✓	✓	K.S
28		15:10	4.8		✓	4.8	✓		5.5		✓	4.3		✓			21.7		✓	✓	✓	K.S
29	✓	___:___																				
30	✓	___:___																				
31	✓	___:___																				

Refrigerator No.		1	2	4	5	6	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	
12	08:00	✓	✓	✓	✓	✓	K.S

12/12 8:00- 0時-② 記録再掲