

01-May-2025 Naoko Ito

Storage Location: Pharmacy of Nagasaki University Hospital

Month	Year
4	2025

Day of Month	Non Business Day	Time of reading 24-hr clock	Refrigerator 1 Logger ④			Refrigerator 2 Logger ⑥			Refrigerator 4 Logger ⑩			Refrigerator 5 Logger ⑧			Refrigerator 6 Logger ⑮			Room Logger ②			MONITORING (✓)	INITIALS
			Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)		
1		17:00	4.9		✓	3.5		✓	6.0		✓	5.5		✓	5.6		✓	21.7		✓	✓	N, I
2		16:00	4.8		✓	3.6		✓	6.1		✓	5.5		✓	5.2		✓	21.9		✓	✓	N, I
3		16:20	4.7		✓	3.5		✓	6.0		✓	5.3		✓	5.6		✓	21.8		✓	✓	N, I
4		16:15	4.9		✓	3.7		✓	5.5		✓	5.4		✓	4.2		✓	21.8		✓	✓	N, I
5	✓																					*
6	✓																					*
7		16:55	4.8		✓	3.5		✓	6.0		✓	5.2		✓	4.3		✓	21.7		✓	✓	N, I
8		16:10	5.0		✓	3.7		✓	6.1		✓	5.4		✓	5.0		✓	22.1		✓	✓	N, I
9		16:00	5.0		✓	3.7		✓	5.5		✓	5.5		✓	5.2		✓	22.0		✓	✓	N, I
10		16:45	5.1		✓	3.7		✓	6.2		✓	5.5		✓	4.7		✓	22.0		✓	✓	N, I
11		16:55	4.9		✓	3.7		✓	6.3		✓	5.5		✓	5.6		✓	22.0		✓	✓	N, I
12	✓																					*
13	✓																					*
14		16:25	5.2		✓	3.6		✓				5.5		✓	4.3		✓	21.8		✓	✓	N, I
15		16:25	5.2		✓	3.5		✓				5.3		✓	4.4		✓	21.7		✓	✓	N, I
16		16:30	5.0		✓	3.4		✓				5.4		✓	5.4		✓	22.1		✓	✓	K.W
17		16:45	5.3		✓	3.6		✓				5.4		✓	5.2		✓	22.3		✓	✓	N, I
18		11:40	5.3		✓	3.3		✓				5.5		✓	5.3		✓	22.4		✓	✓	N, I
19	✓																					*
20	✓																					*
21		16:30	5.6		✓	3.6		✓				5.5		✓	3.9		✓	22.5		✓	✓	K.W
22		16:30	5.5		✓	3.6		✓				5.5		✓	5.4		✓	22.6		✓	✓	K.W
23		16:20	5.4		✓	3.5		✓				5.5		✓	4.9		✓	22.5		✓	✓	K.W
24		16:30	5.3		✓	3.5		✓				5.3		✓	5.6		✓	22.4		✓	✓	N, I
25		16:15	5.4		✓	3.5		✓				5.4		✓	5.0		✓	22.3		✓	✓	M.K
26	✓																					*
27	✓																					*
28		17:05	5.3		✓	3.6		✓				5.5		✓	4.9		✓	22.5		✓	✓	M.K
29	✓																					*
30		16:20	5.4		✓	3.7		✓				5.5		✓	4.7		✓	22.2		✓	✓	M.K
31																						

Refrigerator No.		1	2	4	5	6	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	
24	16:30	✓	✓		✓	✓	N, I

ロカ-⑩

4/2 冷蔵庫4故障のため.

4/14 より温度モニタリングを停止して