

02-Jun-2025 Naoko Ito

Storage Location: Pharmacy of Nagasaki University Hospital

Month	Year
5	2025

Day of Month	Non Business Day	Time of reading 24-hr clock	Refrigerator 1 Logger ④			Refrigerator 2 Logger ⑥			Refrigerator 4 Logger ⑩			Refrigerator 5 Logger ⑧			Refrigerator 6 Logger ⑮			Room Logger ②			MONITORING (✓)	INITIALS
			Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)		
1		16:35	5.8		✓	3.5		✓				5.4		✓	5.6		✓	22.5		✓	✓	M.K
2		17:05	5.7		✓	3.6		✓				5.2		✓	4.9		✓	22.5		✓	✓	K.W
3	✓	___:___																				*
4	✓	___:___																				*
5	✓	___:___																				*
6	✓	___:___																				*
7		16:55	5.7		✓	3.5		✓				5.3		✓	5.3		✓	22.4		✓	✓	M.K
8		16:25	5.3		✓	3.5		✓				5.5		✓	5.0		✓	22.3		✓	✓	M.K
9		16:20	5.0		✓	3.7		✓				5.5		✓	4.9		✓	22.6		✓	✓	N.I
10	✓	___:___																				*
11	✓	___:___																				*
12		16:55	4.8		✓	3.6		✓				5.2		✓	4.7		✓	22.4		✓	✓	N.I
13		16:20	4.8		✓	3.4		✓				5.3		✓	5.1		✓	22.2		✓	✓	M.K
14		16:40	4.8		✓	3.3		✓				5.5		✓	5.6		✓	22.2		✓	✓	K.W
15		16:35	4.7		✓	3.9		✓				5.4		✓	5.4		✓	22.6		✓	✓	M.K
16		16:05	4.9		✓	4.1		✓				5.3		✓	4.8		✓	22.6		✓	✓	K.W
17	✓	___:___																				*
18	✓	___:___																				*
19		16:50	5.1		✓	4.1		✓				5.3		✓	5.6		✓	22.6		✓	✓	M.K
20		16:20	5.2		✓	3.6		✓				5.3		✓	5.3		✓	22.5		✓	✓	M.K
21		16:05	5.0		✓	3.6		✓				5.3		✓	5.6		✓	22.6		✓	✓	N.I
22		16:45	5.1		✓	3.8		✓				5.4		✓	5.5		✓	22.5		✓	✓	M.K
23		16:20	5.3		✓	3.8		✓				5.3		✓	5.7		✓	22.4		✓	✓	N.I
24	✓	___:___																				*
25	✓	___:___																				*
26		16:20	5.3		✓	3.8		✓				5.3		✓	4.8		✓	22.2		✓	✓	M.K
27		16:15	5.3		✓	3.8		✓				5.3		✓	5.6		✓	22.4		✓	✓	N.I
28		16:45	5.0		✓	3.8		✓				5.4		✓	5.4		✓	22.3		✓	✓	K.W
29		16:20	4.8		✓	4.0		✓				5.4		✓	5.0		✓	22.4		✓	✓	N.I
30		11:35	4.8		✓	4.1		✓				5.4		✓	5.7		✓	22.4		✓	✓	K.W
31	✓	___:___																				*

Refrigerator No.		1	2	4	5	6	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	
29	16:20	✓	✓		✓	✓	N.I

ロカ⑩

2025.4.14 温度モニタリング停止中。

* No records due to the public holiday.