

01-Jul-2025 Naoko Zto

Storage Location: Pharmacy of Nagasaki University Hospital

Month	Year
6	2025

6		2025		Refrigerator 1			Refrigerator 2			Refrigerator 4			Refrigerator 5			Refrigerator 6			Room			MONITORING (✓)	INITIALS
Logger ④			Logger ⑥			Logger ⑩			Logger ⑧			Logger ⑮			Logger ②								
Day of Month	Non Business a Day	Time of reading 24-hr clock	Temperatur e (°C)	Alert (✓)	NoAlert (✓)	Temperatur e (°C)	Alert (✓)	NoAlert (✓)	Temperatur e (°C)	Alert (✓)	NoAlert (✓)	Temperatur e (°C)	Alert (✓)	NoAlert (✓)	Temperatur e (°C)	Alert (✓)	NoAlert (✓)	Temperatur e (°C)	Alert (✓)	NoAlert (✓)			
1	✓	___:___																					
2		16:30	4.7		✓	3.9		✓				5.6		✓	4.9		✓	22.4		✓	✓	K.W	
3		16:30	4.9		✓	4.1		✓				5.6		✓	5.0		✓	22.7		✓	✓	M.K	
4		16:40	4.7		✓	4.3		✓				5.6		✓	5.3		✓	22.2		✓	✓	K.W	
5		16:30	4.7		✓	4.4		✓				5.6		✓	5.6		✓	22.4		✓	✓	M.K	
6		16:30	5.0		✓	4.5		✓				5.4		✓	4.9		✓	22.4		✓	✓	K.W	
7	✓	___:___																					
8	✓	___:___																					
9		16:35	5.0		✓	4.3		✓				5.5		✓	4.6		✓	22.5		✓	✓	N.I	
10		16:50	5.2		✓	4.3		✓				5.7		✓	4.7		✓	22.6		✓	✓	K.W	
11		16:45	5.2		✓	4.3		✓				5.4		✓	5.4		✓	22.7		✓	✓	K.W	
12		16:20	4.9		✓	4.0		✓				5.6		✓	4.9		✓	22.6		✓	✓	M.K	
13		15:30	4.8		✓	4.0		✓				5.6		✓	4.9		✓	22.5		✓	✓	N.I	
14	✓	___:___																					
15	✓	___:___																					
16		16:25	4.7		✓	3.9		✓				5.5		✓	4.8		✓	22.4		✓	✓	K.W	
17		15:40	4.9		✓	4.1		✓				5.4		✓	5.4		✓	22.5		✓	✓	M.K	
18		15:38	4.7		✓	3.9		✓				5.5		✓	5.7		✓	22.7		✓	✓	K.W	
19		16:35	4.8		✓	3.7		✓				5.6		✓	4.9		✓	22.7		✓	✓	N.I	
20		14:40	4.7		✓	4.0		✓				5.6		✓	5.8		✓	22.5		✓	✓	N.I	
21	✓	___:___																					
22	✓	___:___																					
23		16:55	4.8		✓	4.0		✓				5.6		✓	4.8		✓	22.5		✓	✓	N.I	
24		16:25	4.8		✓	4.0		✓				5.4		✓	4.9		✓	22.9		✓	✓	K.W	
25		16:20	4.8		✓	4.0		✓				5.5		✓	5.6		✓	22.6		✓	✓	N.I	
26		16:55	4.9		✓	4.1		✓				5.7		✓	4.8		✓	22.5		✓	✓	N.I	
27		16:50	4.8		✓	4.1		✓				5.6		✓	4.8		✓	22.7		✓	✓	K.W	
28	✓	___:___																					
29	✓	___:___																					
30		16:45	4.7		✓	4.1		✓				5.6		✓	5.5		✓	22.7		✓	✓	M.K	
31		___:___																					

* No records due to the public holiday.

Refrigerator No.		1	2	4	5	6	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	
26	16:55	✓	✓		✓	✓	N.I

ロカ-⑩

2025.4.14 温度モニタリング停止中