

04-Aug-2025 Naoko Ito

Storage Location: Pharmacy of Nagasaki University Hospital

Month	Year
7	2025

Day of Month	Non Business Day	Time of reading 24-hr clock	Refrigerator 1 Logger ③			Refrigerator 2 Logger ⑤			Refrigerator 4 Logger ⑨			Refrigerator 5 Logger ⑫			Refrigerator 6 Logger ⑮			Room Logger ①			MONITORING (✓)	INITIALS
			Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)		
1		17:15	3.0		✓	3.8		✓				4.7		✓	5.1		✓	22.1		✓	✓	N.I
2		16:30	3.0		✓	4.4		✓				5.0		✓	5.3		✓	22.2		✓	✓	K.W
3		16:55	4.9		✓	4.1		✓				4.3		✓	5.0		✓	22.6		✓	✓	K.W
4		16:40	3.6		✓	4.3 4.3**		✓				4.4		✓	4.7		✓	22.2		✓	✓	K.W
5	✓	___:___																				
6	✓	___:___																				
7		16:15	4.2		✓	4.3		✓				3.7		✓	4.7		✓	22.5		✓	✓	N.I
8		16:50	5.0		✓	4.3		✓				4.3		✓	5.0		✓	22.3		✓	✓	M.F
9		16:40	3.3		✓	4.2		✓				4.4		✓	5.3		✓	22.6		✓	✓	M.F
10		15:05	4.0		✓	2.8		✓				3.6		✓	5.4		✓	22.4		✓	✓	N.I
11		15:10	4.5		✓	4.0		✓				3.9		✓	5.2		✓	22.2		✓	✓	N.I
12	✓	___:___																				
13	✓	___:___																				
14		16:25	2.9		✓	2.9		✓				4.9		✓	4.6		✓	22.3		✓	✓	N.I
15		16:35	4.4		✓	4.0		✓				3.9		✓	5.0		✓	21.9		✓	✓	M.F
16		16:25	4.9		✓	4.4		✓				4.8		✓	4.8		✓	22.3		✓	✓	K.W
17		16:25	4.9		✓	4.1		✓				4.2		✓	4.7		✓	22.3		✓	✓	K.W
18		16:45	4.6		✓	2.9		✓				3.8		✓	4.7		✓	22.2		✓	✓	M.K
19	✓	___:___																				
20	✓	___:___																				
21	✓	___:___																				
22		16:45	3.5		✓	3.5		✓				3.6		✓	4.5		✓	22.0		✓	✓	N.I
23		16:35	3.7		✓	4.0		✓				3.4		✓	4.7		✓	22.4		✓	✓	N.I
24		16:25	3.1		✓	4.0		✓				4.5		✓	4.6		✓	22.1		✓	✓	M.K
25		16:20	4.4		✓	3.6		✓				4.5		✓	4.9		✓	21.8		✓	✓	N.I
26	✓	___:___																				
27	✓	___:___																				
28		17:00	3.9		✓	3.4		✓				4.5		✓	5.3		✓	22.0		✓	✓	K.W
29		16:20	2.9		✓	3.9		✓				3.5		✓	4.6		✓	22.4		✓	✓	K.W
30		16:40	3.3		✓	4.3		✓				4.7		✓	4.8		✓	22.0		✓	✓	M.K
31		16:45	3.5		✓	3.2		✓				3.9		✓	4.6		✓	22.3		✓	✓	N.I

* No records due to the public holiday.

Refrigerator No.		1	2	4	5	6	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	
31	16:45	✓	✓		✓	✓	N.I

** error K.W 04-Jul-2025

ロカ⑨

2025.4.14 4. 温度モニタリング停止中