

01-Sep-2025 Naoko Ito

Storage Location: Pharmacy of Nagasaki University Hospital

Month	Year
8	2025

Day of Month	Non-Business Day	Time of reading 24-hr clock	Refrigerator 1 Logger ③			Refrigerator 2 Logger ⑤			Refrigerator 4 Logger ⑨			Refrigerator 5 Logger ⑫			Refrigerator 6 Logger ⑮			Room Logger ①			MONITORING (Y)	INITIALS
			Temperature (°C)	Alert (Y)	NoAlert (N)	Temperature (°C)	Alert (Y)	NoAlert (N)	Temperature (°C)	Alert (Y)	NoAlert (N)	Temperature (°C)	Alert (Y)	NoAlert (N)	Temperature (°C)	Alert (Y)	NoAlert (N)	Temperature (°C)	Alert (Y)	NoAlert (N)		
1		15:55	3.6		✓	3.2		✓				4.6		✓	4.7		✓	22.5		✓	✓	N, I
2	✓																					*
3	✓																					*
4		16:35	3.3		✓	3.6		✓				3.8		✓	4.9		✓	22.3		✓	✓	KW
5		16:40	4.1		✓	4.3		✓				3.6		✓	5.2		✓	22.3		✓	✓	KW
6		16:25	5.0		✓	4.4		✓				4.9		✓	5.3		✓	22.3		✓	✓	N, I
7		16:30	5.0		✓	2.8		✓				4.6		✓	4.6		✓	22.2		✓	✓	KW
8		16:15	3.1		✓	4.1		✓				4.1		✓	4.8		✓	22.2		✓	✓	KW
9	✓																					*
10	✓																					*
11	✓																					*
12		16:55	4.9		✓	3.4		✓				3.4		✓	5.3		✓	22.1		✓	✓	KW
13		14:45	3.5		✓	2.8		✓				4.5		✓	4.9		✓	22.1		✓	✓	N, I
14		16:15	4.5		✓	3.0		✓				3.7		✓	4.8		✓	22.4		✓	✓	M.K
15		17:00	3.3		✓	3.2		✓				4.2		✓	5.0		✓	22.1		✓	✓	N, I
16	✓																					*
17	✓																					*
18		16:15	5.1		✓	3.4		✓				4.7		✓	4.6		✓	22.1		✓	✓	N, I
19		15:30	3.3		✓	4.4		✓				4.4		✓	4.7		✓	22.0		✓	✓	N, I
20		15:55	3.8		✓	3.7		✓				3.9		✓	4.9		✓	22.2		✓	✓	N, I
21		16:40	5.0		✓	4.2		✓				3.7		✓	4.3		✓	22.4		✓	✓	N, I
22		14:10	3.4		✓	3.6		✓				3.6		✓	4.9		✓	21.7		✓	✓	N, I
23	✓																					*
24	✓																					*
25		16:25	4.4		✓	4.1		✓				4.2		✓	4.7		✓	22.2		✓	✓	N, I
26		16:40	4.0		✓	3.0		✓				4.9		✓	4.3		✓	22.1		✓	✓	KW
27		16:00	3.0		✓	4.4		✓				3.9		✓	4.2		✓	21.8		✓	✓	M.K
28		16:40	4.4		✓	4.2		✓				3.5		✓	4.2		✓	21.8		✓	✓	N, I
29		17:00	3.5		✓	4.1		✓				3.6		✓	4.3		✓	21.9		✓	✓	KW
30	✓																					*
31	✓																					*

* No records due to the public holiday.

Refrigerator No.		1	2	4	5	6	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	
28	16:40	✓	✓		✓	✓	N, I

Dカ-⑨

2025.4.14より温度モニタリング停止中