

01-Oct-2025 Naoko Ito

Storage Location: Pharmacy of Nagasaki University Hospital

Month	Year
9	2025

Day of Month	Non Business Day	Time of reading 24-hr clock	Refrigerator 1 Logger ③			Refrigerator 2 Logger ⑤			Refrigerator 4 Logger ⑨			Refrigerator 5 Logger ⑫			Refrigerator 6 Logger ⑮			Room Logger ①			MONITORING (✓)	INITIALS
			Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)		
1		16:30	4.4		✓	3.2		✓	4.7		✓	3.9		✓	4.6		✓	21.8		✓	✓	N.I
2		16:20	4.4		✓	4.0		✓	5.2		✓	4.6		✓	4.4		✓	22.2		✓	✓	N.I
3		16:25	4.3		✓	4.5		✓	5.6		✓	4.0		✓	4.4		✓	22.3		✓	✓	N.I
4		16:45	4.8		✓	3.8		✓	5.5		✓	3.4		✓	4.8		✓	22.1		✓	✓	N.I
5		16:35	4.2		✓	3.9		✓	5.6		✓	4.1		✓	4.8		✓	22.2		✓	✓	M.K
6	✓																					
7	✓																					
8		16:15	3.2		✓	3.1		✓	5.4		✓	4.8		✓	4.8		✓	22.0		✓	✓	N.I
9		16:20	5.0		✓	3.6		✓	5.0		✓	4.3		✓	4.8		✓	22.2		✓	✓	M.K
10		16:05	3.3		✓	3.2		✓	4.8		✓	3.9		✓	4.8		✓	22.1		✓	✓	M.K
11		16:20	4.4		✓	4.1		✓	4.8		✓	4.4		✓	5.2		✓	22.0		✓	✓	N.I
12		15:30	3.2 4.8		✓	3.4		✓	5.2		✓	4.5		✓	5.0		✓	21.9		✓	✓	N.I
13	✓																					
14	✓																					
15	✓																					
16		16:30	3.1		✓	4.5		✓	4.6		✓	4.1		✓	5.5		✓	22.1		✓	✓	K.W
17		16:35	5.0		✓	3.3		✓	4.8		✓	3.4		✓	5.4		✓	22.2		✓	✓	N.I
18		16:40	4.4		✓	4.5		✓	4.7		✓	3.4		✓	5.0		✓	22.3		✓	✓	K.W
19		16:20	3.7		✓	3.9		✓	5.3		✓	4.9		✓	5.1		✓	22.1		✓	✓	N.I
20	✓																					
21	✓																					
22		16:25	2.8		✓	4.0		✓	4.3		✓	3.6		✓	5.0		✓	22.0		✓	✓	N.I
23	✓																					
24		16:40	2.4		✓	3.1		✓	4.8		✓	4.8		✓	5.4		✓	22.2		✓	✓	K.W
25		16:35	4.3		✓	4.5		✓	5.0		✓	3.5		✓	5.0		✓	22.5		✓	✓	M.K
26		14:40	3.3		✓	4.4		✓	4.3		✓	3.5		✓	5.3		✓	22.3		✓	✓	N.I
27	✓																					
28	✓																					
29		16:30	4.8		✓	3.3		✓	5.2		✓	3.4		✓	5.1		✓	22.3		✓	✓	N.I
30		16:50	3.7		✓	4.6		✓	5.2		✓	4.1		✓	5.0		✓	22.1		✓	✓	K.W
31																						

* No records due to the public holiday

Refrigerator No.		1	2	4	5	6	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	
29	16:30	✓	✓	✓	✓	✓	N.I

ワガ-⑨

2025.9.1より温度モニタリング開始

** error 12 Sep 2025 N.I