

01-Oct-2025 Naoko Ito

Storage Location: Pharmacy of Nagasaki University Hospital

Month	Year
9	2025

Date		Time		Refrigerator 1			Refrigerator 2			Refrigerator 4			Refrigerator 5			Refrigerator 6			Room			MONITORING (✓)	INITIALS
				Logger ④			Logger ⑥			Logger ⑩			Logger ⑧			Logger ⑮			Logger ②				
Day of Month	Non Business Day	Time of reading 24-hr clock		Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)	Temperature (°C)	Alert (✓)	NoAlert (✓)		
1		16:30		5.0		✓	4.1		✓	5.6		✓	5.5		✓	5.2		✓	21.9		✓	✓	N, Z
2		16:20		4.9		✓	4.2		✓	5.6		✓	5.6		✓	4.9		✓	22.9		✓	✓	N, Z
3		16:25		5.1		✓	4.0		✓	5.6		✓	5.6		✓	4.9		✓	22.4		✓	✓	N, Z
4		16:45		4.9		✓	4.1		✓	5.6		✓	5.5		✓	5.4		✓	22.8		✓	✓	N, Z
5		16:35		5.0		✓	4.1		✓	5.5		✓	5.5		✓	5.4		✓	22.8		✓	✓	M, K
6	✓	__:__:__																					
7	✓	__:__:__																					
8		16:15		4.9		✓	3.9		✓	5.6		✓	5.5		✓	5.3		✓	23.0		✓	✓	N, Z
9		16:20		4.9		✓	4.1		✓	5.6		✓	5.4		✓	5.5		✓	22.9		✓	✓	M, K
10		16:05		5.0		✓	4.3		✓	5.5		✓	5.6		✓	5.3		✓	22.8		✓	✓	M, K
11		16:20		5.1		✓	4.4		✓	5.4		✓	5.6		✓	5.2		✓	22.3		✓	✓	N, Z
12		15:30		5.0		✓	4.3		✓	5.3		✓	5.6		✓	4.9		✓	22.5		✓	✓	N, Z
13	✓	__:__:__																					
14	✓	__:__:__																					
15	✓	__:__:__																					
16		16:30		5.1		✓	4.3		✓	5.4		✓	5.6		✓	5.6		✓	22.1		✓	✓	K, W
17		16:35		5.0		✓	4.3		✓	5.4		✓	5.5		✓	5.6		✓	22.2		✓	✓	N, Z
18		16:40		4.9		✓	4.4		✓	5.5		✓	5.5		✓	4.9		✓	22.9		✓	✓	K, W
19		16:20		4.9		✓	4.4		✓	5.4		✓	5.5		✓	4.9		✓	22.9		✓	✓	N, Z
20	✓	__:__:__																					
21	✓	__:__:__																					
22		16:25		4.7		✓	4.4		✓	5.4		✓	5.5		✓	4.9		✓	22.9		✓	✓	N, Z
23	✓	__:__:__																					
24		16:40		4.8		✓	4.3		✓	5.5		✓	5.5		✓	5.5		✓	22.9		✓	✓	K, W
25		16:35		4.9		✓	4.3		✓	5.4		✓	5.5		✓	5.0		✓	23.0		✓	✓	M, K
26		14:40		4.9		✓	4.5		✓	5.5		✓	5.5		✓	5.4		✓	23.0		✓	✓	N, Z
27	✓	__:__:__																					
28	✓	__:__:__																					
29		16:30		4.7		✓	4.3		✓	5.4		✓	5.5		✓	5.2		✓	22.5		✓	✓	N, Z
30		16:50		4.9		✓	4.4		✓	5.4		✓	5.4		✓	5.1		✓	22.5		✓	✓	K, W
31		__:__:__																					

* No records due to the public holiday.

Refrigerator No.		1	2	4	5	6	INITIALS
Day of Month	Time of reading 24-hr clock	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	No abnormality (✓)	
29	16:30	✓	✓	✓	✓	✓	N, Z

ロカ⑩

2025.9.1より温度モニタリング開始.